

Quanzhou Smarts Electronics & Technology Co.,Ltd  
7th Floor Hengxin building No.9 Chifeng Rd. Licheng dist.,Quanzhou,Fujian,China








Tel: +86-(0)595-27256889 Fax: +86-(0)595-22465526  
Skype: steven821228 E-mail: steven@smartselectronic.com.cn







## Product List

Triac dimmable constant voltage LED driver													
Picture	Part No.	Specification				Physical Size (mm)	Output Power	Waterproof Rate	Certificate/Warranty	Packing			
		Input Voltage	Output Voltage	Output current	Power Factor					N.W./pcs	G.W/ctn	Qty/ctn	Carton Size (mm)
	SMT-012-024VT	100-130V/170-265V	12V	2.0A	>0.8	155*54*20mm	24W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.15kg	4.5kg	30pcs	350*195*180
	SMT-024-024VT	100-130V/170-265V	24V	1.0A			24W						
	SMT-036-024VT	100-130V/170-265V	36V	0.66A			24W						
	24W led driver + Junction box					350.0*77.0*26.0mm	IP20	ETL	0.7kg	14.0kg	20pcs	355*215*215	
	SMT-012-048VT	100-130V/170-265V	DC 12V	4.0A	0.8	178*61*24mm	48W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.35kg	10.5kg	30pcs	355*215*215
	SMT-024-048VT	100-130V/170-265V	DC 24V	2.0A			48W						
	SMT-036-048VT	100-130V/170-265V	DC 36V	1.33A			48W						
	48W led driver + Junction box					350.0*77.0*26.0mm	IP20	ETL	0.84kg	17kg	20pcs	355*215*215	
	SMT-012-060VT	100-130V/170-265V	DC 12V	5.0A	0.8	180*60*34mm	60W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.55KG	11KG	20pcs	309*279*176
	SMT-024-060VT	100-130V/170-265V	DC 24V	2.5A			60W						
	SMT-036-060VT	100-130V/170-265V	DC 36V	1.72A			60W						
	60W led driver + Junction box					350.0*77.0*37.0mm	IP20	ETL	0.84kg	17kg	20pcs	430*395*180	
	SMT-012-080VT	100-130V/170-265V	DC 12V	6.6A	0.8	200*68*45mm	80W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1kg	12kg	10pcs	324*298*176
	SMT-024-080VT	100-130V/170-265V	DC 24V	3.3A			80W						
	SMT-036-080VT	100-130V/170-265V	DC 36V	2.2A			80W						
	80W led driver + Junction box					380.0*77.0*57.0mm	IP20	ETL	1.88kg	19.8kg	10pcs	415*360*190	
	SMT-012-096VT	100-130V/170-265V	DC 12V	8.00A	0.8	230*68*45mm	96W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1.2KG	15 kg	10pcs	329*279*176
	SMT-024-096VT	100-130V/170-265V	DC 24V	4.00A			96W						
	SMT-036-096VT	100-130V/170-265V	DC 36V	2.66A			96W						
	96W led driver + Junction box					380.0*77.0*57.0mm	IP20	ETL	1.88kg	19.8kg	10pcs	415*360*190	
	SMT-012-120VT	100-130V/170-265V	DC 12V	10.0A	0.8	230*68*45mm	120W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1.2KG	15 kg	10pcs	329*279*176
	SMT-024-120VT	100-130V/170-265V	DC 24V	5.0A			120W						
	SMT-036-120VT	100-130V/170-265V	DC 36V	3.33A			120W						
	120W led driver + Junction box					380.0*77.0*57.0mm	IP20	ETL	1.88kg	19.8kg	10pcs	415*360*190	
	SMT-012-150VT	100-130V/170-265V	DC 12V	12.5A	0.8	227*78*48mm	150W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1.5KG	17 kg	10pcs	329*279*176
	SMT-024-150VT	100-130V/170-265V	DC 24V	6.25A			150W						
	SMT-036-150VT	100-130V/170-265V	DC 36V	4.16A			150W						

	150W led driver + Junction box				406*87*60mm		IP20	ETL	2.35kg	24.5kg	10pcs	445*350*205	
	SMT-012-200VT	100-130V/ 170-265V	DC 12V	16.66A	0.8	227*78*48mm	200W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1.5KG	17 kg	10pcs	329*279*176
	SMT-024-200VT	100-130V/ 170-265V	DC 24V	8.33A			200W						
	SMT-036-200VT	100-130V/ 170-265V	DC 36V	5.55A			200W						
	200W led driver + Junction box				406*87*60mm		IP20	ETL	2.35kg	24.5kg	10pcs	445*350*205	

### Triac dimmable constant current LED drivers

Picture	Part No.	Specification				Physical Size (mm)	Output Power	Waterproof Rate	Certificate/Warranty	Packing			
		Input Voltage	Output Voltage	Output current	Power Factor					N.W./pcs	G.W./ctn	Qty/ctn	Carton Size (mm)
	SMT-045-0320CT	100-130V/ 170-265V	20-45V	320mA	>0.9	140*45*28mm	14W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.16kg	9.0kg	50pcs	324*298*176
	SMT-025-0300CT		15-25V	300mA			7.5W						
	SMT-018-0350CT		8-18V	350mA			6W						
	SMT-025-0350CT		15-25V	350mA			8W						
	SMT-035-0350CT		20-35V	350mA			12W						
	SMT-020-0500CT		12-20V	500mA			10W						
	SMT-012-0900CT		7-12V	900mA			10W						
	SMT-015-0700CT		7-15V	700mA			10W						
	6w 7.5w 8w 10w 12w 14w led driver + Junction box				350.0*77.0*37.0mm		IP20	ETL	0.84kg	17kg	20pcs	430*395*180	
	SMT-050-0350CT	100-130V/ 170-265V	35-50V	350mA	>0.9	140*45*28mm	17.5W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.16kg	9.0kg	50pcs	324*298*176
	SMT-030-0500CT		15-30V	500mA			15W						
	SMT-035-0500CT		20-35V	500mA			17.5W						
	SMT-025-0700CT		10-25V	700mA			17.5W						
	SMT-012-1050CT		7-12V	1050mA			12W						
	SMT-018-1050CT		12-18V	1050mA			18W						
	SMT-020-0900CT		10-20V	900mA			18W						
	12w 15w 17.5w 18w led driver + Junction box				350.0*77.0*37.0mm		IP20	ETL	0.84kg	17kg	20pcs	430*395*180	
	SMT-060-0350CT	100-130V/ 170-265V	40-60V	350mA	>0.92	180*60*34mm	21W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.55kg	11kg	20pcs	309*279*176
	SMT-080-0350CT		60-80V	350mA			28W						
	SMT-090-0350CT		70-90V	350mA			31W						
	SMT-060-0500CT		40-60V	500mA			30W						
	SMT-048-0500CT		30-48V	500mA			24W						
	SMT-070-0500CT		50-70V	500mA			35W						
	SMT-045-0700CT		27-45V	700mA			31W						
	SMT-030-0700CT		15-30V	700mA			21W						
	SMT-036-0700CT		20-40V	700mA			25W						
	SMT-050-0700CT		30-50V	700mA			35W						
	SMT-036-0900CT		20-36V	900mA			32W						
	SMT-024-1050CT		10-24V	1050mA			25W						
	SMT-025-1200CT		15-25V	1200mA			30W						
	SMT-036-1050CT		20-36V	1050mA			37W						
			21w 24w 25w 28w 30w 31w 32w 35w 37w led driver + Junction box				350.0*77.0*37.0mm						
	SMT-090-0500CT		60-90V	500mA			45W						

	SMT-080-0500CT	100-130V/ 170-265V	50-80V	500mA	>0.92	180*60*34mm	40W	IP20	CE,ETL ,FCC,RoHS / 3 years warranty	0.55kg	11kg	20pcs	309*279*176
	SMT-065-0700CT		40-65V	700mA			45W						
	SMT-050-0900CT		25-50V	900mA			45W						
	SMT-045-1050CT		20-45V	1050mA			45W						
	SMT-040-1200CT		30-40V	1200mA			45W						
	SMT-032-1400CT		18-32V	1400mA			45W						
	SMT-025-1750CT		15-25V	1750mA			43W						
	SMT-020-2100CT		12-20V	2100mA			42W						
	40w 42w 43w 45w led driver + Junction box					350.0*77.0*37.0mm	IP20	ETL	0.84kg	17kg	20pcs	430*395*180	
	SMT-120-0350CT	100-130V/ 170-265V	90-120V	350mA	>0.92	200*68*45mm	42W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1kg	12kg	10pcs	324*298*176
	SMT-120-0500CT		70-120V	500mA			60W						
	SMT-086-0700CT		45-86V	700mA			60W						
	SMT-070-0900CT		35-70V	900mA			63W						
	SMT-056-1050CT		40-56V	1050mA			58W						
	SMT-050-1200CT		30-50V	1200mA			60W						
	SMT-045-1400CT		25-45V	1400mA			63W						
	SMT-036-1750CT		20-36V	1750mA			63W						
	SMT-030-2000CT		15-30V	2000mA			60W						
	SMT-025-2400CT		15-25V	2400mA			60W						
	42w 58w 60w 63w led driver + Junction box					380.0*77.0*57.0mm	IP20	ETL	1.88kg	19.8kg	10pcs	415*360*190	
	SMT-115-0700CT	100-130V/ 170-265V	80-115V	700mA	>0.92	200*68*45mm	80W	IP67	CE,ETL ,FCC,RoHS / 3 years warranty	1kg	12kg	10pcs	324*298*176
	SMT-090-0900CT		70-90V	900mA			80W						
	SMT-080-1050CT		55-80V	1050mA			80W						
	SMT-067-1200CT		40-67V	1200mA			80W						
	SMT-040-2000CT		25-40V	2000mA			80W						
	SMT-034-2400CT		15-34V	2400mA			80W						
	80w led driver + Junction box					380.0*77.0*57.0mm	IP20	ETL	1.88kg	19.8kg	10pcs	415*360*190	